



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.		
09/726,403	12/01/2000	Masayuki Honma	35.G2686	1361		
5514	5514 7590 06/01/2005			EXAMINER		
FITZPATRICK CELLA HARPER & SCINTO			WALLERSON, MARK E			
30 ROCKEFELLER PLAZA NEW YORK, NY 10112			ART UNIT	PAPER NUMBER		
,			2626			
			DATE MAILED: 06/01/200:	5		

Please find below and/or attached an Office communication concerning this application or proceeding.

		Application No.	Applicant(s)			
		09/726,403	HONMA, MASAYUKI			
Office Action Summary		Examiner	Art Unit	-		
		Mark E. Wallerson	2626			
Period fo	The MAILING DATE of this communication Reply	ion appears on the cover sheet wi	th the correspondence address			
A SH THE - Exte after - If the - If NC - Failt Any	ORTENED STATUTORY PERIOD FOR MAILING DATE OF THIS COMMUNICA' nsions of time may be available under the provisions of 37 SIX (6) MONTHS from the mailing date of this communical period for reply specified above is less than thirty (30) day of period for reply is specified above, the maximum statutor rere to reply within the set or extended period for reply will, I reply received by the Office later than three months after the patent term adjustment. See 37 CFR 1.704(b).	CION. CFR 1.136(a). In no event, however, may a relation. ys, a reply within the statutory minimum of third y period will apply and will expire SIX (6) MON by statute, cause the application to become AB	eply be timely filed y (30) days will be considered timely. THS from the mailing date of this communication. ANDONED (35 U.S.C. § 133).			
Status	,					
1)[汉]	Responsive to communication(s) filed or	n <i>18 November 2004</i> .				
,	<u> </u>	☐ This action is non-final.				
3)	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.					
Disposit	ion of Claims					
5) 6) 7)	Claim(s) 1-25 is/are pending in the applied 4a) Of the above claim(s) is/are well claim(s) is/are allowed. Claim(s) 1-25 is/are rejected. Claim(s) is/are objected to. Claim(s) are subject to restriction	rithdrawn from consideration.				
Applicat	ion Papers					
10)	The specification is objected to by the Ex The drawing(s) filed on is/are: a)[Applicant may not request that any objection Replacement drawing sheet(s) including the The oath or declaration is objected to by	accepted or b) objected to to the drawing(s) be held in abeyar correction is required if the drawing	ce. See 37 CFR 1.85(a). s) is objected to. See 37 CFR 1.121(d).			
Priority (ınder 35 U.S.C. § 119					
a)	Acknowledgment is made of a claim for to All b) Some * c) None of: 1. Certified copies of the priority doc 2. Certified copies of the priority doc 3. Copies of the certified copies of the application from the International See the attached detailed Office action fo	uments have been received. uments have been received in A ne priority documents have been Bureau (PCT Rule 17.2(a)).	pplication No received in this National Stage			
Attachmen		∧ □	(PTO 442)			
2) Notice 3) Inform	e of References Cited (PTO-892) se of Draftsperson's Patent Drawing Review (PTO-9 mation Disclosure Statement(s) (PTO-1449 or PTO r No(s)/Mail Date	Paper No(s	ummary (PTO-413))/Mail Date formal Patent Application (PTO-152) 			

Art Unit: 2626

Part III DETAILED ACTION

Notice to Applicant(s)

- 1. This action is responsive to the following communications: amendment filed on 11/18/2004.
- 2. This application has been reconsidered. Claims 1-25 are pending.

Claim Rejections - 35 USC § 102

3. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 4. Claims 5, 6, 7, 8, 9, 11, 12, 13, 15, 21, 22, 23, 24, and 25 are rejected under 35 U.S.C. 102(b) as being anticipated by Kayano (U.S. 5,812,747).

Regarding claims 5, 22, 23, 24, and 25, Kayano discloses an image-forming apparatus that communicates data, via a data communication medium, with a remote image- forming apparatus storing a series of image data to be printed, the image-forming apparatus comprising: a transmitter (image data sending and receiving means) adapted to transmit (send), to the remote image-forming apparatus (other copying machine) via the data communication medium (transmission line 80 reads on data communication medium, col. 6, lines 36-65), a first data request (copying machine 1 reads on first data request) requesting (requests) that the remote image-forming apparatus (slave copying machine) transmit (send) image data (image data) stored (stored) therein (col. 7, lines 41 -

Art Unit: 2626

col. 8, lines 1-10), and an acquisition unit (image data sending and receiving means) adapted to acquire (receive), via the data communication medium (80), data (image data) output (sent) by the remote image-forming apparatus (other copying machine) in response to the data request (receive image data from other copying machine; col. 6rlines 36-67), the data including operation mode data (copying conditions, col. 7, lines 50-67) preset (set to each slave in the context of this reference reads on preset) for the series of image data (page by page basis reads on series of image data) stored (stored) and to be printed (copying in the context of this reference reads on copying machine) in the remote image-forming apparatus (copying machine 2 reads on remote image-forming apparatus', col. 7, lines 50-67 and col. 8, lines 28-48).

Regarding claim 6, Kayano discloses an image-forming apparatus further comprising a display controller adapted to display, on a display unit (col. 3, lines 39-54), the operation mode data transmitted from the remote image-forming apparatus (col. 6, lines 36-67) and acquired through the acquisition unit (col. 7, lines 50-67 and col. 8, lines 28-48).

Regarding claim 7, Kayano discloses an image-forming apparatus wherein the acquisition unit acquires, via the data communication medium (col. 6,lines 36-67), the series of image data from the remote image-forming apparatus, according to the operation mode (col. 7, lines 50-67 and col. 8, lines 28-48).

Regarding claim 8, Kayano discloses an image-forming apparatus further comprising a printing unit adapted to print the series of image data (col. 8,lines 28-48), acquired from the remote image-forming apparatus by the acquisition unit (col. 8,lines

Art Unit: 2626

28-48), in accordance with the operation mode data acquired from the remote imageforming apparatus in association with the series of image data (col. 8, lines 11-48).

Regarding claim 9, Kayano discloses an image-forming apparatus wherein the printing unit prints out (col. 3, lines 26-38), through a storage unit adapted to store the image data (col. 8, lines 28-48), the series of image data from the remote image-forming apparatus (col. 8, lines 28-48).

Regarding claim 11, Kayano discloses an image-forming apparatus further comprising a code input unit adapted to input codes (col. 5, lines 51-67), and a printer controller adapted to determine whether to execute printing of the series of image data through the printing unit (col. 7, lines 27-49), based on a code input through the code input unit (col. 7, lines 27-49).

Regarding claim 12, Kayano discloses an image-forming apparatus further comprising: a determination unit adapted to determine whether a process in accordance with the operation mode data acquired from the remote image-forming apparatus through the acquisition unit is executable (col. 7, lines 50-col. 8, lines 1-10)., and an update control unit adapted to automatically update the operation mode data acquired from the remote image-forming apparatus through the acquisition unit (col. 8, lines 11- 21), in response to a determination result provided by the determination unit (col. 7, lines 60-col. 8, lines 1-10), and to perform a print process in accordance with the updated operation mode (col. 8, lines 28-48).

Regarding claim 13, Kayano discloses an image-forming apparatus further comprising an update controller adapted to update the operation mode data acquired from the remote image-forming apparatus through the acquisition unit (col. 7, lines 50- col. 8,

Art Unit: 2626

Iines 1-10), in response to an instruction from a user (col. 7, lines 32-40), and to perform a print process in accordance with the updated operation mode (col. 8, lines 28-48).

Regarding claim 15, Kayano discloses an image-forming apparatus wherein the transmitter unit transmits, to the remote image-forming apparatus via the data communication medium (col. 6, lines 36-65), a data request requesting that the remote image-forming apparatus update the operation mode acquired from the remote image-forming apparatus by the acquisition unit (col. 7, lines 41-col. 8, lines 1-21).

Regarding claim 18, Kayano discloses an image-forming apparatus further comprising a searching unit adapted to search for a remote image-forming apparatus that communicates data (col. 7, lines 50-col. 8, lines 1-10), and an image-forming apparatus selection unit adapted to select a desired image-forming apparatus from among candidates in a search result provided by the searching unit (col. 7, lines 50-col. 8, lines 1-10), wherein the transmitter unit transmits the data request via the data communication medium to the image-forming apparatus selected by the image-forming apparatus selection unit (col. 7, lines 50-col. 8, lines 1-48), and the acquisition unit acquires, via the data communication medium (col. 6, lines 36-65), data from the remote image-forming apparatus selected by the image-forming selection unit (col. 7, lines 50- col. 8, lines 1-10).

Regarding claim 21, Kayano discloses an image-forming apparatus wherein the operation mode data comprises a plurality of pieces of setting data about a number of copies, a size of copy sheets, and a discrimination between one-side printing and both-side printing (col. 7, lines 32-40).

Art Unit: 2626

Claim Rejections - 35 USC § 103

- 5. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 6. Claims 1, 3, 22, 23 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kayano (U.S. 5,812,747) in view of Maruta et al (Maruta) (U.S. 6,516,157).

Regarding claims 1, 3, 22, and 23, Kayano discloses an image forming system comprising: a plurality of image-forming apparatuses (copying machines 1-3) with printing units (laser writing unit 25 reads on printing units), each image-forming apparatus (copying machine) comprising a network communication unit (image sending and receiving unit 31), and a storage unit (image memory unit) adapted to store (stored) image data (image data; col. 3, lines 26-54) received through the network communication unit (status information sending and receiving means reads on network communication unit), a data acquisition unit (image data sending and receiving means 1c, 2c, 3c) through which a first image-forming apparatus (of its own copying machine) acquires (receive in the context of this reference reads on acquires), through the network communication unit (connector 71, col. 3, lines 49-50), the image data (image data) and the operation mode data (status information) stored (store) in another image-forming apparatus (other copying machine reads on another image-forming apparatus, (col. 6, lines 36-65), and an operation mode update unit (28) adapted to automatically (col. 5, lines 39-48) update

Art Unit: 2626

(change mode), and the operation mode of the first image forming apparatus to an operation mode in accordance with the acquired operation mode data (column 3, lines 39-54).

Although Kayano discloses storing the operation mode data in memory 27c, he does not clearly disclose storing the operation mode data and image data in the same memory.

Maruta discloses storing image data and operation mode data in the same memory (column 13, lines 12-20). Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to have modified Kayano to store the image data and operation mode data in the same memory. It would have been obvious to one of ordinary skill in the art at the time of the invention to have modified Kayano by the teaching of Maruta in order to simply the printing system.

7. Claims 10 and 14 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kayano in view of Maniwa.

Regarding claim 10, although Kayano does not disclose an erase controller,

Maniwa discloses an erase controller (col. 17, lines 35-53) adapted to perform an erase

process on a series of already printed image data stored in the storing unit (col. 19, lines
61-col. 20, lines 1-9). Therefore, it would have been obvious to a person of ordinary skill
in the art at the time the invention was made to combine the teachings of Kayano and

Maniwa due to the references disclosing networked image forming apparatuses to prevent
the dimculty of expanding a system by adding 1/0 devices each based on different
specifications.

Art Unit: 2626

With respect to claim 14, Kayano discloses an image-forming apparatus wherein the transmitter unit transmits, to the remote image-forming apparatus via the data communication medium (col. 6, lines 36-65), thereof corresponding to the operation mode data acquired from the remote image-forming apparatus through the acquisition unit (col. 7, lines 41-col. 8, lines 1-10).

Although Kayano does not disclose a data request requesting that the remote image-forming apparatus erase the series of image data, Maniwa discloses a data request requesting that the remote image-forming apparatus erase the series of image data (col. 19, lines 61-col. 20, lines 1-9). Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to combine the teachings of Kayano and Maniwa due to the references disclosing networked image forming apparatuses to prevent the difficulty of expanding a system by adding 1/0 devices each based on different specifications.

8. Claims 16, 17, 19, and 20 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kayano in view of Fukuta (U.S. 6,226,095).

Regarding claim 16, Kayano discloses the remote image-forming apparatus comprises a storage unit (col. 6, lines 41-46).

Although Kayano does not disclose a plurality of storage areas that store different pieces of image data, Fukuta discloses that includes a plurality of storage areas and stores, in the areas, image data to be printed, with different pieces of the image data stored from area to area (col. 20, lines 46-58). Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to combine the

Art Unit: 2626

teachings of Kayano and Fukuta due to the references disclosing networked image forming apparatuses to minimize the influence on print jobs for the remaining printing devices and also to suppress an increase in resources necessary for this operation.

Regarding claim 17, Kayano discloses an image-forming apparatus further comprising wherein the acquisition unit acquires, from the remote image-forming apparatus via the data communication medium (col. 6, lines 36-65). Although Kayano does not disclose a storage selection unit or the acquisition unit acquires a series of image data from within a selected storage area, Fukuta discloses a storage area selection unit adapted to select a desired storage area from among the plurality of the storage areas in the storage unit in the remote-forming apparatus (col. 20, lines 46-58), a series of image data within a storage area selected by the storage area selection unit, from among the plurality of the storage areas (col. 20, lines 46-58).

Therefore, it would have been obvious to a person of ordinary skill in the ad at the time the invention was made to combine the teachings of Kayano and Fukuta due to the references disclosing networked image forming apparatuses to minimize the influence on print jobs for the remaining printing devices and also to suppress an increase in resources necessary for this operation.

Regarding claim 19, Kayano does not disclose wherein the remote image-forming apparatus stores a series of image data from a host computer.

Although Kayano does not disclose the remote image-forming apparatus storing image data from a host computer, Fukuta discloses an image-forming apparatus wherein the remote image-forming apparatus stores a series of image data from a host computer (col. 8, lines 28-41).

Art Unit: 2626

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to combine the teachings of Kayano and Fukuta due to the references disclosing networked image forming apparatuses to minimize the influence on print jobs for the remaining printing devices and also to suppress an increase in resources necessary for this operation.

Regarding claim 20, Kayano does not disclose wherein the remote image-forming apparatus stores a series of image data from the host computer, in association with operation mode data set in the host computer. However, Fukuta discloses an image-forming apparatus wherein the remote image-forming apparatus stores a series of image data from the host computer (col. 8, lines 28-41), in association with operation mode data set in the host computer (col. 7, lines 56-63). Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to combine the teachings of Kayano and Fukuta due to the references disclosing networked image forming apparatuses to minimize the influence on print jobs for the remaining printing devices and also to suppress an increase in resources necessary for this operation.

9. Claims 2 and 4 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kayano in view of Maruta as applied to claim 1 above, and further in view of Maniwa (U.S. 5,933,584).

Regarding claims 2 and 4, Kayano as modified discloses an image-forming system wherein the operation mode update unit updates the operation mode (col. 7, lines 50-col. 8, lines 1-21), and the acquired image data and the operation mode data (col. 7, lines 50-col. 8, lines 1-21).

Art Unit: 2626

Although Kayano as modified does not disclose the acquired image data and the operation mode data are erased, Maniwa discloses and the acquired image data and the operation mode data (Kayano reference: col. 7, lines 50-col. 8, lines 1-21) are erased after the acquired image data is printed out (col. 17, lines 40-53).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to combine the teachings of Kayano, Maruta, and Maniwa due to the references disclosing networked image forming apparatuses to prevent the difficulty of expanding a system by adding 1/0 devices each based on different specifications.

Response to Arguments

10. Applicant's arguments with respect to claims 1-25 have been considered but are moot in view of the new ground(s) of rejection.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Mark E. Wallerson whose telephone number is (571) 272-7470. The examiner can normally be reached on Monday-Friday - 6:30-4:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Kimberly Williams can be reached on (571) 272-7471. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Art Unit: 2626

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Mark E. Wallerson Primary Examiner Art Unit 2626

MARKWALLERSON PRIMARY EXAMINER